


Kolak, Shari

From: Kolak, Shari
Sent: Wednesday, June 11, 2014 2:50 PM
To: Wagaw, Wally (DEQ)
Subject: RE: draft final ESD #2



Follow Up Flag: Flag for follow up
Flag Status: Flagged

Categories: Blue Category, Yellow Category

Hi Wally,

Trying to refresh my memory. Where are we in terms of putting the ESD thru sign-off? Are you waiting for anything pressing from Bill before we do this?

From: Wagaw, Wally (DEQ) [mailto:WAGAWW@michigan.gov]
Sent: Tuesday, June 10, 2014 10:37 AM
To: Kolak, Shari
Subject: FW: draft final ESD #2

Hi Shari,
I have suggested some minor modifications in the document. Please see the attached. If you have any questions on my comments, please give me a call.

Thanks.

Wally

From: Kolak, Shari [mailto:kolak.shari@epa.gov]
Sent: Monday, June 09, 2014 2:27 PM
To: Wagaw, Wally (DEQ)
Subject: FW: draft final ESD #2

Hi Wally,

Did you get a chance to look at the changes made to the ESD?

From: Kolak, Shari
Sent: Wednesday, June 04, 2014 3:30 PM
To: Wagaw, Walelign
Subject: draft final ESD #2

Wally,

Attached is the draft final ESD #2 with your comments incorporated. I yellow highlighted all text that has changed per your comments and/or or attorney comments.

I'm checking with my attorney on one of your comments (the one about deleting "potable" from the text under Section IV Description of Significant Differences of the ESD). I kept "potable" in the text for now but this may change depending on my attorney's feedback.

know if the changes are acceptable to you. Thanks, Shari
Shari Kolak
Remedial Project Manager
U.S. EPA, Region 5
77 W. Jackson
Chicago, IL 60604
312-886-6151 wk
kolak.shari@epa.gov